

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	16 ✓	(preamplifier) near5 (fet or (field adj effect adj transistor)) near5 (capacitor)	USPAT	2004/04/06 10:29
2	BRS	L5	0	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) same (preamplifier) same (fet or (field adj effect adj transistor)) same (capacitor)	USPAT	2004/04/06 10:28
3	BRS	L6	3 ✓	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) same (preamplifier) same (fet or (field adj effect adj transistor)) and (capacitor)	USPAT	2004/04/06 10:28 *
4	BRS	L7	27	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) same (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	USPAT	2004/04/06 10:28
5	BRS	L8	69 ✓	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	USPAT	2004/04/06 10:52
6	BRS	L9	379	(preamplifier) and ((fet or (field adj effect adj transistor)) near5 (capacitor))	USPAT	2004/04/06 10:29
7	BRS	L11	30 ✓	(360/\$.ccls.) and 8	USPAT	2004/04/06 10:50 *
8	BRS	L12	25 ✓	(360/\$.ccls.) and 9	USPAT	2004/04/06 10:29
9	BRS	L13	20 ✓	Stephen near Jove	USPAT	2004/04/06 10:31
10	BRS	L14	15 ✓	Wayne near Cheung	USPAT	2004/04/06 10:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L18	0	(360/\$.ccls.) and (((preamplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth)) same (control\$4 near5 ((feed\$3 adj back) or feedback))) and (MR or magnetoresistive or (magneto adj1resistive) or magneto-resistive))	USPAT	2004/04/ 06 10:46
12	BRS	L19	0	(((preamplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth)) same (control\$4 near5 ((feed\$3 adj back) or feedback))) and (MR or magnetoresistive or (magneto adj1resistive) or magneto-resistive)	USPAT	2004/04/ 06 10:47

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L20	0	((preamplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth)) same (control\$4 near5 ((feed\$3 adj back) or feedback))	USPAT	2004/04/06 10:48
14	BRS	L21	0	(360/\$.ccls.) and (((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth)) same (control\$4 near5 ((feed\$3 adj back) or feedback)))	USPAT	2004/04/06 10:48
15	BRS	L22	0	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth)) same (control\$4 near5 ((feed\$3 adj back) or feedback))	USPAT	2004/04/06 10:48

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L23	0	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor))) and (((reduc\$3 or decreas\$3) adj noise) near5 (increas\$3 adj bandwidth))	USPAT	2004/04/06 10:48
17	BRS	L24	229	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 frequency)	USPAT	2004/04/06 10:49
18	BRS	L25	7 ✓	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise))	USPAT	2004/04/06 10:49
19	BRS	L26	0	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (filter\$3 near3 (frequency and noise)) and (gain near5 (FET or (field adj effect adj transistor)))	USPAT	2004/04/06 10:49
20	BRS	L27	194 ✓	(360/\$.ccls.) and ((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current)))	USPAT	2004/04/06 10:51
21	BRS	L28	36 ✓	((amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))) same (mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive))	USPAT	2004/04/06 10:51 ✱
22	BRS	L29	22 ✓	(360/\$.ccls.) and 28	USPAT	2004/04/06 10:51

	Type	L #	Hits	Search Text	DBs	Time Stamp
23	BRS	L30	0	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	EPO	2004/04/06 10:52
24	BRS	L31	0	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	JPO	2004/04/06 10:52
25	BRS	L32	0	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	DERW ENT	2004/04/06 10:55
26	BRS	L33	3 ✓	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	IBM_T DB	2004/04/06 10:53
27	BRS	L34	1 ✓	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	IBM_T DB	2004/04/06 10:55
28	BRS	L35	2 ✓	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	DERW ENT	2004/04/06 10:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
29	BRS	L36	0	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	JPO	2004/04/06 10:55
30	BRS	L37	1 ✓	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	EPO	2004/04/06 10:55
31	BRS	L38	0	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	US-PG PUB	2004/04/06 10:55
32	BRS	L39	19 ✓	(low adj1 noise) near10 ((MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) adj (sensor or head)) same (pre-amplifier or preamplifier or amplifier)	USPAT	2004/04/06 10:55
33	BRS	L40	23 ✓	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (preamplifier) and (fet or (field adj effect adj transistor)) and (capacitor)	US-PG PUB	2004/04/06 10:55

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
44	BRS	L58	40 ✓	(FET or (field adjeffect adj transistor)) near5 ((dimension adj ratio) or (width/length))	USPAT	2004/04/06 15:43			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
32	BRS	L41	0	((ac adj coupl\$3) or (alternat\$3 adj current adj coupl\$3)) near10 (MR or magnetoresistive or magneto-resisitive or (magneto adj1 resistive)) near10 ((enlarg\$3 or big\$3) adj (fet or (field adj effect adj transistor)))	USPAT	2004/04/06 13:46		0
33	BRS	L42	0	((ac adj coupl\$3) or (alternat\$3 adj current adj coupl\$3)) and (MR or magnetoresistive or magneto-resisitive or (magneto adj1 resistive)) and ((enlarg\$3 or big\$3) adj (fet or (field adj effect adj transistor)))	USPAT	2004/04/06 13:47		0
34	BRS	L43	10 ✓	((ac adj coupl\$3) or (alternat\$3 adj current adj coupl\$3)) and (MR or magnetoresistive or magneto-resisitive or (magneto adj1 resistive)) and ((fet or (field adj effect adj transistor)))	USPAT	2004/04/06 13:47		0
35	BRS	L44	4 ✓	((ac adj coupl\$3) or (alternat\$3 adj current adj coupl\$3)) and (MR or magnetoresistive or magneto-resisitive or (magneto adj1 resistive)) and (noise near5 (minimiz\$3 or reduc\$4 or decreas\$3)) and (bias\$3 near6 gain)	USPAT	2004/04/06 13:50		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
36	BRS	L45	9 ✓	((ac adj coupl\$3) or (alternat\$3 adj current adj coupl\$3)) and (MR or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) and (noise near5 (minimiz\$3 or reduc\$4 or decreas\$3)) and ((feedback or (feeding adj back)) near6 gain)	USPAT	2004/04/06 13:51		0
39	BRS	L46	1 ✓	5323278.pn.	USPAT	2004/04/06 14:55		0
40	BRS	L47	1 ✓	5856891.pn.	USPAT	2004/04/06 14:50		0
41	BRS	L48	1 ✓	6532127.pn.	USPAT	2004/04/06 14:51		0
42	BRS	L50	8 ✓	("6175462" "5323278" "5204789" "5103353" "5032935" "4879610" "4786993" "4706138").pn.	USPAT	2004/04/06 14:58		0
43	BRS	L54	13 ✓	(mr or magnetoresistive or magneto-resistive or (magneto adj1 resistive)) near8 (((low adj1 noise) or low-noise) adj (pre-amplifier or preamplifier or (pre adj1 amplifier)))	USPAT	2004/04/06 15:00		0

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	7 ✓	("6134060" "6057972" "5831784" "5323278" "5270882" "5122915" "4635142").pn.	USPAT	2003/12/ 11 09:47
2	BRS	1 ✓	"20030128450"	US-PGPUB	2003/12/ 11 09:47
3	BRS	49	("4308504" "4533841" "4978925" "5978491" "6222397" "6222397" "4369410" "4489245" "4870618" "4872209" "5008858" "5264784" "5485119" "5680038" "5945842" "6124753" "6249176" "4247918" "4251829" "4260909" "4295061" "4394586" "4395644" "4397000" "4398100" "4415863" "4423369" "4570240" "4587446" "4602290" "4629998" "4630238"	USPAT	2004/04/ 05 15:31

	Type	Hits	Search Text	DBs	Time Stamp
4	BRS	0	(360/\$.ccls.) and ("4308504" "4533841" "4978925" "5978491" "6222397" "6222397" "4369410" "4489245" "4870618" "4872209" "5008858" "5264784" "5485119" "5680038" "5945842" "6124753" "6249176" "4247918" "4251829" "4260909" "4295061" "4394586" "4395644" "4397000" "4398100" "4415863" "4423369" "4570240" "4587446" "4602290" "4629998" "4630238"	USPAT	2004/04/ 06 10:29
5	BRS	7413	(amplifier) near5 ((ac adj1 coupl\$3) or ac-coupl\$3 or ac or (alternat\$3 adj current))	USPAT	2004/04/ 06 10:50

10041796_LIST

PLUS Search Results for S/N 10041796, Searched October 27, 2003

4308504
4533841
4978925
5978491
6222397
6222397
4369410
4489245
4870618
4872209
5008858
5264784
5485119
5680038
5945842
6124753
6249176
4247918
4251829
4260909
4295061
4394586
4395644
4397000
4398100
4415863
4423369
4570240
4587446
4602290
4629998
4630238
4633105
4810903
4818904
4829265
4859928
4885484
4958094
4977338
5006816
5022003
5027251
5187682
5258663
5280234

10041796_LIST

5313429
5317470
5396191
5442312

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)**Quick Links****Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **1** of **1022101** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the box.

Search☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 A 0.8 nV/ $\sqrt{\text{Hz}}$ CMOS preamplifier for magneto-resistive read elements**

Robinson, M.E.; Klein, H.W.; Palla, S.; Chung, T.-S.;


Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE International, 16-18 Feb. 1994

Pages:252 - 253

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) IEEE CNF[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


IEEE Xplore
RELEASE 1.6

 Welcome
United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Your search matched **2** of **1022101** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** or

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the box.

cmos<and>mr head

Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A 200 Mb/s CMOS EPRML channel with integrated servo demodulator for magnetic hard disks

Fields, J.; Aziz, P.; Bailey, J.; Barber, F.; Barner, J.; Burger, H.; Foster, R.; Heimann, M.; Kemps Mantz, L.; Mastrocola, A.; Peruzzi, R.; Peterson, T.; Raisinghani, J.; Rauschmayer, R.; Saniski, M. Sayiner, N.; Setty, P.; Tedja, S.; Threadgill, K.; Fitzpatrick, K.K.; Fisher, K.;
Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC., 1997 IEEE International, 6-8 Feb. 1997
Pages:314 - 315, 477

[\[Abstract\]](#) [\[PDF Full-Text \(1128 KB\)\]](#) IEEE CNF

2 A 0.8 nV/√Hz CMOS preamplifier for magneto-resistive read elements

Robinson, M.E.; Klein, H.W.; Palla, S.; Chung, T.-S.;
Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE International, 16-18 Feb. 1994
Pages:252 - 253

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) IEEE CNF

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore
 RELEASE 1.6

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

 Your search matched **7** of **1022101** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** or

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Development of high resolution and low noise single-layered perpendicular recording for high density recording

 Hirayama, Y.; Futamoto, M.; Ito, K.; Honda, Y.; Maruyama, Y.;
 Magnetics, IEEE Transactions on , Volume: 33 , Issue: 1 , Jan. 1997
 Pages:996 - 1001

[\[Abstract\]](#) [\[PDF Full-Text \(928 KB\)\]](#) IEEE JNL

2 A recording at a channel rate of 200 Mbps in helical tape systems

 Suzuki, K.; Fukuda, S.; Shirai, T.; Ozue, T.;
 Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International , 28 April-2 May 2002
 Pages:AP1

[\[Abstract\]](#) [\[PDF Full-Text \(213 KB\)\]](#) IEEE CNF

3 A measurement of signal-to-noise ratio versus trackwidth from 128 μ m to 4 μ m

 Jeffers, F.; Wachenschwanz, D.; Phelps, D.; Freeman, J.;
 Magnetics, IEEE Transactions on , Volume: 23 , Issue: 5 , Sep 1987
 Pages:2088 - 2090

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE JNL

4 A yoke magnetoresistive head for high track density recording

 Maruyama, T.; Yamada, K.; Tanaka, H.; Ito, S.; Urai, H.; Kaneko, H.;
 Magnetics, IEEE Transactions on , Volume: 23 , Issue: 5 , Sep 1987
 Pages:2503 - 2505

[\[Abstract\]](#) [\[PDF Full-Text \(408 KB\)\]](#) IEEE JNL

5 Low noise Co/Pd multilayer perpendicular media with granular seed layer

 Ohmori, H.; Maesaka, A.;
 Magnetics, IEEE Transactions on , Volume: 36 , Issue: 5 , Sept 2000
 Pages:2384 - 2386

[\[Abstract\]](#) [\[PDF Full-Text \(100 KB\)\]](#) IEEE JNL

6 Low noise Co-Cr-Nb perpendicular recording media with high squareness

 Honda, N.; Ariake, J.; Ouchi, K.; Iwasaki, S.;
 Magnetics, IEEE Transactions on , Volume: 34 , Issue: 4 , July 1998
 Pages:1651 - 1653

[\[Abstract\]](#) [\[PDF Full-Text \(300 KB\)\]](#) IEEE JNL

7 A 0.8 nV/ $\sqrt{\text{Hz}}$ CMOS preamplifier for magneto-resistive read elements

Robinson, M.E.; Klein, H.W.; Palla, S.; Chung, T.-S.;

Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE International , 16-18 Feb. 1994

Pages:252 - 253

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) IEEE CNF


[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore
RELEASE 1.6Welcome
United States Patent and Trademark Office[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)**Quick Links****Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Your search matched **6** of **1022101** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Read/write amplifier design considerations for MR heads***Klaassen, K.B.; van Peppen, J.C.L.;*
Magnetics, IEEE Transactions on, Volume: 31, Issue: 2, Mar 1995
Pages:1056 - 1061[\[Abstract\]](#) [\[PDF Full-Text \(544 KB\)\]](#) IEEE JNL**2 High Sensitivity, Accurate MMW Radiometers for Ground-Mapping Systems***Day, W.B.; Kraemer, E.H.; Roeder, R.S.; Wilt, R.E.;*
Microwave Symposium Digest, MTT-S International, Volume: 82, Issue: 1, Jun 1982
Pages:96 - 98[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) IEEE CNF**3 Dynamic in-situ measurements of head-to-disk spacing***Smith, G.J.;*
Magnetics, IEEE Transactions on, Volume: 35, Issue: 5, Sept. 1999
Pages:2346 - 2351[\[Abstract\]](#) [\[PDF Full-Text \(528 KB\)\]](#) IEEE JNL**4 Modulation noise measurements of high density recording channels using MR heads***Wachenschwanz, D.; Carr, T.;*
Magnetics, IEEE Transactions on, Volume: 27, Issue: 6, Nov 1991
Pages:5310 - 5312[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) IEEE JNL**5 A study of head stack assembly sensitivity to ESD***Boone, W.; Himle, J.; Porter, T.; Perry, B.;*
Electrical Overstress/Electrostatic Discharge Symposium Proceedings, 1999, 28-30 Sept. 1999
Pages:373 - 379[\[Abstract\]](#) [\[PDF Full-Text \(456 KB\)\]](#) IEEE CNF**6 A 0.8 nV/√Hz CMOS preamplifier for magneto-resistive read elements***Robinson, M.E.; Klein, H.W.; Palla, S.; Chung, T.-S.;*
Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE International, 16-18 Feb. 1994
Pages:252 - 253

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Day : Tuesday
Date: 4/6/2004
Time: 10:32:26

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = CHEUNG
First Name = WAYNE

Application#	Patent#	Status	Date Filed	Title	Inventor Name 17
<u>10289076</u>	Not Issued	030	11/06/2002	METHOD AND APPARATUS FOR PROVIDING MATCHED DIFFERENTIAL MR BIASING AND PRE-AMPLIFICATION	CHEUNG, WAYNE LEUNG
<u>10041796</u>	Not Issued	030	01/07/2002	CMOS LOW-NOISE MR READ HEAD PRE-AMPLIFIER CIRCUIT	CHEUNG, WAYNE L.
<u>09246513</u>	<u>6393511</u>	150	02/09/1999	MULTI-TRACK DENSITY DIRECT ACCESS STORAGE DEVICE	CHEUNG, WAYNE LEUNG
<u>09088412</u>	<u>6070225</u>	150	06/01/1998	METHOD AND APPARATUS FOR OPTIMIZING ACCESS TO CODED INDICIA HEIRARCHICALLY STORED ON AT LEAST ONE SURFACE OF A CYCLIC, MULTITRACKED RECORDING DEVICE	CHEUNG, WAYNE
<u>08938267</u>	<u>6324030</u>	150	09/26/1997	DIGITAL PES DEMODULATION FOR A DISK DRIVE SERVO CONTROL SYSTEM USING SYNCHRONOUS DIGITAL SAMPLING	CHEUNG, WAYNE LEUNG
<u>08918959</u>	<u>5818659</u>	150	08/26/1997	QUADRATURE SERVO PATTERN DISK PROVIDING ASYNCHRONOUS DIGITAL PES	CHEUNG, WAYNE LEUNG
<u>08908743</u>	<u>5966264</u>	150	08/07/1997	TWO FREQUENCY SERVO PES PATTERN	CHEUNG, WAYNE LEUNG
<u>08908742</u>	<u>6025970</u>	150	08/07/1997	DIGITAL DEMODULATION OF A COMPLEMENTARY TWO-FREQUENCY SERVO PES PATTERN	CHEUNG, WAYNE L.
<u>08908725</u>	<u>6456449</u>	150	08/07/1997	DISK DRIVE WITH WIDE SERVO BURST PATTERN AND WIDE SERVO SENSING ELEMENT	CHEUNG, WAYNE LEUNG
<u>08709204</u>	<u>5999351</u>	150	08/27/1996	MULTI-TRACK DENSITY DIRECT ACCESS STORAGE DEVICE	CHEUNG, WAYNE L.
<u>08628217</u>	<u>5825579</u>	150	04/04/1996	DISK DRIVE SERVO SENSING GAIN NORMALIZATION AND LINEARIZATION	CHEUNG, WAYNE L.
<u>08599534</u>	<u>5774298</u>	150	02/06/1996	ASYNCHRONOUS DIGITAL PES DEMODULATION DISK DRIVE SERVO CONTROL SYSTEM	CHEUNG, WAYNE L.
<u>08432627</u>	Not Issued	166	05/02/1995	QUADRATURE SERVO PATTERNS DISK PROVIDING ASYNCHRONOUS DIGITAL PES	CHEUNG, WAYNE L.

<u>08376962</u>	<u>5717538</u>	250	01/20/1995	ASYNCHRONOUS POSITION ERROR SIGNAL DETECTOR EMPLOYING WEIGHTED ACCUMULATION FOR USE IN SERVO SYSTEM	CHEUNG, WAYNE L.
<u>08317942</u>	<u>5615065</u>	150	10/04/1994	PHASE-COMPENSATED SERVO PATTERN AND POSITION ERROR-SENSING DETECTOR	CHEUNG, WAYNE L.
<u>08156531</u>	Not Issued	166	11/23/1993	ASYNCHRONOUS DIGITAL PES DEMODULATION DISK DRIVE SERVO CONTROL SYSTEM	CHEUNG, WAYNE L.
<u>08148791</u>	<u>5442498</u>	150	11/08/1993	ASYNCHRONOUS TRACK CODE ENCODEMENT AND DETECTION FOR DISK DRIVE SERVO CONTROL SYSTEM	CHEUNG, WAYNE L.

Inventor Search Completed: No Records to Display.

Search Another: Inventor First Name

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Tuesday
Date: 4/6/2004
Time: 10:35:18

Inventor Name Search Result

Your Search was:

Last Name = JOVE

First Name = STEPHEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name 26
10289076	Not Issued	030	11/06/2002	METHOD AND APPARATUS FOR PROVIDING MATCHED DIFFERENTIAL MR BIASING AND PRE-AMPLIFICATION	JOVE, STEPHEN ALAN
10288720	Not Issued	030	11/05/2002	METHOD AND APPARATUS FOR PROVIDING QUADRATURE BIASING FOR COUPLED-PAIR CIRCUITS	JOVE, STEPHEN ALAN
10284811	Not Issued	030	10/31/2002	PREAMPLIFIER CIRCUIT SUITABLE FOR USE IN MAGNETIC STORAGE DEVICES	JOVE, STEPHEN ALAN
10041796	Not Issued	030	01/07/2002	CMOS LOW-NOISE MR READ HEAD PRE-AMPLIFIER CIRCUIT	JOVE, STEPHEN A.
09947741	Not Issued	030	09/06/2001	METHODS AND APPARATUS FOR GRADUALLY DECREASING SUPPLY CURRENT DEMAND IN ARM ELECTRONICS FOR WRITE-TO-READ TRANSITIONS	JOVE, STEPHEN ALAN
09300653	6265905	150	04/27/1999	QUASI-VOLTAGE SENSING INPUT IMPEDANCE CONTROLLED PREAMPLIFIER FOR MAGNETORESISTIVE ELEMENTS	JOVE, STEPHEN ALAN
09300564	6420910	150	04/27/1999	QUASI-CURRENT SENSING INPUT IMPEDANCE CONTROLLED PREAMPLIFIER FOR MAGNETORESISTIVE ELEMENTS	JOVE, STEPHEN ALAN
09258022	6252735	150	02/25/1999	VOLTAGE-BIASING, VOLTAGE-SENSING DIFFERENTIAL PREAMPLIFIER FOR MAGNETORESISTIVE ELEMENTS	JOVE, STEPHEN ALAN
09246990	6271977	150	02/16/1999	A MULTI-STATE PREAMPLIFIER FOR DISK DRIVES	JOVE, STEPHEN ALAN
08970660	6175462	150	11/14/1997	HIGH INPUT IMPEDANCE SINGLE ENDED, LOW SUPPLY VOLTAGE MAGNETORESISTIVE PREAMPLIFIER CIRCUITS	JOVE, STEPHEN ALAN
08594093	Not Issued	162	01/30/1996	HIGH-TRANSITION-RATE, LOW-SUPPLY VOLTAGE WRITE DRIVE CIRCUITRY FOR MAGNETIC INDUCTIVE WRITE HEAD	JOVE, STEPHEN A.
08336611	5523898	150	11/08/1994	PARTIAL MR SENSOR BIAS CURRENT DURING	JOVE, STEPHEN A.

					WRITE	
<u>07958635</u>	<u>5296975</u>	150	10/09/1992		HIGH-TRANSITION-RATE, LOW-SUPPLY-VOLTAGE WRITE DRIVER CIRCUITRY FOR MAGNETIC INDUCTIVE WRITE HEAD	JOVE, STEPHEN A.
<u>07946208</u>	<u>5323278</u>	250	09/17/1992		LOW NOISE AMPLIFIER CIRCUIT FOR MAGNETORESISTIVE SENSORS FOR FAST READ - WRITE SWITCHING IN LOW SUPPLY VOLTAGE APPLICATIONS	JOVE, STEPHEN A.
<u>07914278</u>	<u>5270882</u>	150	07/15/1992		LOW-VOLTAGE, LOW-POWER AMPLIFIER FOR MAGNETORESISTIVE SENSOR	JOVE, STEPHEN A.
<u>07835153</u>	<u>5287340</u>	150	02/13/1992		DIFFERENTIAL AMPLIFIER FOR OPTICAL DETECTORS IN AN OPTICAL DATA STORAGE SYSTEM	JOVE, STEPHEN A.
<u>07648675</u>	<u>5204789</u>	150	01/31/1991		LOW NOISE VOLTAGE-BIASING AMPLIFIER FOR MAGNETORESISTIVE ELEMENT	JOVE, STEPHEN A.
<u>07517093</u>	<u>5103353</u>	150	05/01/1990		LOW NOISE AMPLIFIER WITH SHORT CIRCUIT PROTECTION FOR SIGNALS FROM MAGNETORESISTIVE ELEMENT	JOVE, STEPHEN A.
<u>07468526</u>	<u>5057785</u>	250	01/23/1990		METHOD AND CIRCUITRY TO SUPPRESS ADDITIVE DISTURBANCES IN DATA CHANNELS	JOVE, STEPHEN A.
<u>07449686</u>	<u>5032935</u>	150	12/12/1989		AMPLIFICATION OF SIGNALS PRODUCED BY A MAGNETORESISTIVE ELEMENT	JOVE, STEPHEN A.
<u>07250784</u>	<u>4879610</u>	150	09/28/1988		PROTECTIVE CIRCUIT FOR A MAGNETORESISTIVE ELEMENT	JOVE, STEPHEN A.
<u>07226634</u>	<u>4914398</u>	150	08/01/1988		METHOD AND CIRCUITRY TO SUPPRESS ADDITIVE DISTURBANCES IN DATA CHANNELS CONTAINING MR SENSORS	JOVE, STEPHEN A.
<u>06923777</u>	<u>4743861</u>	150	10/27/1986		FREQUENCY RESPONSE COMPENSATION CIRCUIT	JOVE, STEPHEN A.
<u>06880419</u>	<u>4786993</u>	150	06/30/1986		VOLTAGE AMPLIFIER FOR CONSTANT VOLTAGE BIASING AND AMPLIFYING SIGNALS FROM A MR SENSOR	JOVE, STEPHEN A.
<u>06851649</u>	<u>4706138</u>	150	04/14/1986		AMPLIFICATION OF SIGNALS PRODUCED BY A MAGNETIC SENSOR	JOVE, STEPHEN A.
<u>06325711</u>	<u>4420776</u>	150	11/30/1981		PSK MODULATION IN AC BIAS DATA RECORDING	JOVE, STEPHEN A.

Inventor Search Completed: No Records to Display.

Last Name

JOVE

First Name

STEPHEN

Search

To go back use Back button on your browser toolbar.